
THAT 60-75mm IS PROTRUDING FROM UNDERSIDE OF MDF BOARD TO CHECK THIS ENSURE THE LEVELING NUTS ARE WOUND 60 - 75MM FROM TOP EDGE of STUD ASSEMBLE SETTING TEMPLATE AND BOLTS AS PER DRAWING BELOW ENSURING Tighten the nuts to hold the bolts level and square

PROTECT THE TOP PROTRUDING THREADS FROM CONCRETE WITH A SUITABLE TAPE




SUITABLY QUALIFIED INDIVIDUAL PRIOR TO CONCRETE POUR BEARING PRESSURE OF 75kN/m<sup>2</sup> GROUND CONDITIONS TO BE INSPECTED BY A FOUNDATION IS TO BE CAST ON A SUBSTRATA PROVIDING MINIMUM ALLOWABLE

ALL CONCRETE IS TO BE GRADE C28-35 TO BS 8500-1

EXCAVATE AS PER RECOMMENDED AREA AND DEPTH SEE CHART BELOW

FTP8 & TDTP8 8 mtr	FTP6 & TDTP6 6 mtr	FTP5 & TDTP5 5 mtr	FTP4 & TDTP4 4 mtr	FTP3 & TDTP3 3 mtr	MODEL No HEIGHT /
1.3 x 1.3 x 0.7	1.2 x 1.2 x 0.6	1.0 x 1.0 x 0.5	1.0 x 1.0 x 0.4	0.9 x 0.9 x 0.4	AREA AND DEPTH
C28-35	C28-35	C28-35	C28-35	C28-35	GRADE
TO BS 8500-1					
3 DAYS MINUMUM	CURE TIME				
8.8 GALVANISED	BOLTS				
M24 X 300 - 330					
DUCT TAPE	PROTECTION				
OR SIMULAR					



**PROTRUDES ENSURE THIS** RECOMMENDED A PLASTIC PIPE OF THROUGH THE DIAMETER IS APPROXIMATELY 100mm MINIMUM TEMPLATE BY 100MM OUTSIDE

## DESCRIPTION: FTP & TDTP SETTING TEMPLATE

CAMERA TOWER ENGINEERING LTD
UNITS 182 MARSH HOUSE MILL
MARSH HOUSE LANE
DARWEN BB3 3JJ
brian@camera-towers.com

DRAWING NO CAM1-150T-BT

DRAWN BY:

TURNER CTE

C COPYRIGHT SHALL NOT BE PASSED TO ANY THIRD PARTY FOR MUNUFACTURE WITHOUT WRITTEN PERMISSION FROM BRIAN TURNER CAMERA TOWER ENGINEERING LTD . JUNE 2017